





Technical features, standard equipment, optional features and dimensional data





SPC SWEEPER



STANDARD EQUIPMENT



Support pivot wheels



Mechanical adjustment of the roller height according to its wear



Roller hydraulic engine



DIN type attachment plate with mechanical orientation



Brush with PPL rings Ø 600 mm



Parking feet

OPTIONAL FEATURES



Hydraulic orientation



Hydraulic lateral brush with lifting cylinder



Dust control and suppression kit equipped with a 12V pump and a 300 L tank

SWEEPER SPC



Dust control and suppression kit equipped with a 12V pump and a 100 L tank



Pair of led side marker lights



Pair of working lights



Front collection box with hydraulic discharge system



Telescopic attachment



DIN plate attachment gr. 3



Three-point hitch lifting attachment for tractors



Skid loader attachment



Wheel loader attachment

SWEEPER **SPC**



TECHNICAL SHEET

STANDARD FEATURES

CODE	MODEL	WEIGHT (kg)	WIDTH (mt)	HEIGHT (mt)	WORKING WIDTH (30°)
5020400	SPC 14 1600	300	1,6	0,7	1,40
5020410	SPC 14 1800	320	1.8	0,7	1,60
5020420	SPC 14 2000	340	2	0,7	1,80
5020430	SPC 14 2200	360	2,2	0,7	2,00
5020440	SPC 14 2400	380	2,4	0,7	2,20
5020450	SPC 14 2600	400	2,6	0,7	2,40

1. Main features

Front sweeper completely made of steel metal sheets, frame in tubular steel sheets with high technical features, upper protection in polyethylene and adjustable PVC splashguard tarpaulin. The sweeping roller is equipped with mixed PPL/steel interchangeable rings. Pivoting wheels with adjustable support, very useful to manage the pressure of the brushes on the roller and to check wear out process.

2. Mode of operation

Hydraulically driven by means of a hydraulic engine installed on the sweeper.

3. Power supply

By means of the hydraulic system available on the vehicle (min. $30\,L$ – $90\,bar$).

4. Standard features

DIN 76060 A/B plate attachment, hydraulic orientation, brushes in steel /PPL, parking feet.

5. Optional Features

Pair of jointed wheels, PVC splashguard tarpaulin with adjustable support, pair of LED side marker lights, pair of working lights, front lifting attachment for agricultural tractors, backhoe loaders and wheel loader attachment, skid loader attachment.



Via dell' Industria, 34 - 41013, Castelfranco Emilia (MO), ITALIA Site: Piumazzo

www.municipaltech.it info@municipaltech.it

Phone +39 059 931483 Fax +39 059 934307